

∞ ∞ UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		
MATHEMATICS 0580/21					
Paper 2 (Extend	ed)		May/June 2010		
				1 hour 30 minutes	
Candidates answer on the Question Paper.					
Additional Materials: Electronic ca Mathematica		llator ables (optional)	Geometrical instruments Tracing paper (optional)	-	

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

If working is needed for any question it must be shown below that question.

Electronic calculators should be used.

If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place. For π , use either your calculator value or 3.142.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question. The total of the marks for this paper is 70.

This document consists of **12** printed pages.



1	Write the numbers in order of size with the smallest first.
1	
	$\sqrt{10}$ 3.14 $\frac{22}{7}$ π
	Answer < < [2]
2	Michel changed \$600 into pounds (£) when the exchange rate was $\pounds 1 = \$2.40$. He later changed all the pounds back into dollars when the exchange rate was $\pounds 1 = \$2.60$.
	How many dollars did he receive?
	<i>Answer</i> \$
3	p is the largest prime number between 50 and 100. q is the smallest prime number between 50 and 100.
	Calculate the value of $p-q$.
	Calculate the value of $p - q$.
	Calculate the value of $p - q$.
	Calculate the value of $p - q$. <i>Answer</i> [2]
4	
4	Answer [2] A person in a car, travelling at 108 kilometres per hour, takes 1 second to go past a building on the
4	Answer [2] A person in a car, travelling at 108 kilometres per hour, takes 1 second to go past a building on the side of the road.
4	Answer [2] A person in a car, travelling at 108 kilometres per hour, takes 1 second to go past a building on the side of the road.


For Calculate the value of $5(6 \times 10^3 + 400)$, giving your answer in standard form. 5 Examiner's Use[2] Answer Calculate the value of $\frac{1}{2}\sqrt{\frac{1}{2} + \frac{1}{2}\sqrt{\frac{1}{2}}}$ 6 (a) writing down all the figures in your calculator answer, Answer(a) [1] (b) writing your answer correct to 4 significant figures. Answer(b) [1] 7 NOT TO 0.8 m SCALE 1.4 m The top of a desk is made from a rectangle and a quarter circle. The rectangle measures 0.8m by 1.4m. Calculate the surface area of the top of the desk. m^2 [3] Answer


8

(a) Shade one square in each diagram so that there is

- (i) one line of symmetry, [1] (ii) rotational symmetry of order 2. [1] (b) The pyramid below has a rectangular base. The vertex of the pyramid is vertically above the centre of the base. Write down the number of **planes** of symmetry for the pyramid. Answer(b) [1]
- For Examiner's Use

0580/21/M/J/10






$$\frac{2x-y}{2} = 17$$


Answer x =

y = [3]

© UCLES 2010

14	<i>y</i> varies inversely as the square of <i>x</i> . y = 1.5 when $x = 8$.			For Examiner's Use
	Find <i>y</i> when $x = 5$.			
		Answer $y =$	[3]	
15	The points $(2, 5)$, $(3, 3)$ and $(k, 1)$ all lie in a straight line.			
	(a) Find the value of k .			
		Answer(a) $k =$	[1]	
	(b) Find the equation of the line.			
		Answer(b)	[3]	
				I






- **19** The position vector **r** is given by $\mathbf{r} = 2\mathbf{p} + t(\mathbf{p} + \mathbf{q})$.
 - (a) Complete the table below for the given values of *t*.Write each vector in its simplest form.One result has been done for you.

t	0	1	2	3
r			$4\mathbf{p} + 2\mathbf{q}$	


- (b) *O* is the origin and **p** and **q** are shown on the diagram.
 - (i) Plot the 4 points given by the position vectors in the table.



For Examiner's Use

[3]

20	$\mathbf{f}(x) = \left(x - 1\right)^3$	$\mathbf{g}(x) = \left(x - 1\right)^2$	$\mathbf{h}(x) = 3x + 1$			For Examiner's Use
	(a) Work out fg(-	1).				
	(b) Find gh(<i>x</i>) in a	its simplest form.		Answer(a)		[2]
	(c) Find f ⁻¹ (x).			Answer(b)		[2]
				Answer(c)		[2]
Question 21 is printed on the next page.						



Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.