

## Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME						
CENTRE NUMBER		CANDIDATE NUMBER				
MATHEMATICS		0580/41				
Paper 4 (Extended)		October/November 2016				
		2 hours 30 minutes				
Candidates answer on	the Question Paper.					
Additional Materials:	Electronic calculator Tracing paper (optional)	Geometrical instruments				

## READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

If working is needed for any question it must be shown below that question.

Electronic calculators should be used.

If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place.

For  $\pi$ , use either your calculator value or 3.142.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question. The total of the marks for this paper is 130.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of **19** printed pages and **1** blank page.



15×4

**1** (a) (i) Divide \$105 in the ratio 4 : 3.

$$\frac{105}{7} = 15$$

and ISX3

(ii) Increase \$105 by 12%.

 $105 \times 0.12 = 12.6$ 105 + 12.6

s 117.60 ....[2]

(iii) In a sale the original price of a jacket is reduced by 16% to \$105.

Calculate the original price of the jacket.

100% - 16% = 84% 84% = 105 × 100 **125** [3]

(b) Jakob invests \$500 at a rate of 2% per year compound interest. Claudia invests \$500 at a rate of 2.5% per year simple interest.

Calculate the difference between these two investments after 30 years. Give your answer in dollars correct to the nearest cent.

(c) Michel invests P at a rate of 3.8% per year compound interest. After 30 years the value of this investment is \$1469.

Calculate the value of *P*.  $(1.038)^{-} = 1469$  $\frac{9}{2} = 479.8452393$ .038



(d) The population of a city increases exponentially at a rate of x% every 5 years. In 1960 the population was 60100. In 2015 the population was 120150.

Calculate the value of x

$$2015 - 1960 = 55$$
  

$$55 \div 5 = 11 \longrightarrow n = 11$$
  

$$60|00 \times (1 + \frac{x}{100})^{"} = 120150$$
  

$$1 + \frac{x}{100} = \sqrt{\frac{120150}{60100}}$$
  

$$x = \frac{6.50}{3}$$
  

$$x = \frac{120150}{60100} = \frac{120150}{3}$$

2 (a) 200 students record the time, *t* minutes, for their journey from home to school. The cumulative frequency diagram shows the results.



0580/41/O/N/16

(b) The 200 students record the time, *t* minutes, for their journey from school to home. The frequency table shows the results.

	Time ( <i>t</i> minutes)	$0 < t \le 10$	$10 < t \le 15$	$15 < t \le 20$	$20 < t \le 30$	$30 < t \le 60$	
F	Frequency	48	48	60	26	18	



(ii) On the grid, complete the histogram to show the information in the frequency table.



3 **(a)** NOT TO **SCALE** 13 cm/ 25 cm The diagram shows a solid made up of a cylinder and two hemispheres. The radius of the cylinder and the hemispheres is 13 cm. The length of the cylinder is 25 cm.  $D | cm^3 = 2.3g$ One cubic centimetre of the solid has a mass of 2.3 g. (i) Calculate the mass of the solid. Give your answer in kilograms. [The volume, V, of a sphere with radius r is  $V = \frac{4}{2}\pi r^3$ .] x2.3 ± 1000 +π(13) = <u>8788</u> π Sphere =  $\frac{4}{3}\pi(13)^3 = \frac{8788}{3}\pi$ (ylinder =  $\pi(13)^2 \times 25 = 4225\pi$   $4225\pi + \frac{8788}{3}\pi = \frac{21463}{3}\pi cm^3$ ..... kg [4] (ii) The surface of the solid is painted at a cost of \$4.70 per square metre. Calculate the cost of painting the solid. [The surface area, A, of a sphere with radius r is  $A = 4\pi r^2$ .] phere =  $4 \times \pi \times (13)^2 = 676 \pi cm^2$ Cylinder Curred Surgace Area =  $2\pi rh = 2 \times \pi \times 13 \times 25 = 650\pi cm$ 

0580/41/O/N/16

 $650\pi + 676\pi = 1326\pi cm^2$ 

13267 ÷(100)<sup>2</sup> × 4.70

.....[4]

1.46

\$.....



The cone in the diagram has radius  $x \,\mathrm{cm}$  and height  $2x \,\mathrm{cm}$ . The volume of the cone is  $500 \,\mathrm{cm}^3$ .

Find the value of *x*.

[The volume, V, of a cone with radius r and height h is  $V = \frac{1}{3}\pi r^2 h$ .]

 $\frac{1}{3} \times \mathcal{X}^2 \times 2\mathcal{X} \times \pi$  $00 = 1\pi$ 

.....[3]

Two mathematically similar solids have volumes of 180 cm<sup>3</sup> and 360 cm<sup>3</sup>. (c) The surface area of the smaller solid is  $180 \,\mathrm{cm}^2$ .

Volume Scale Factor =  $\frac{360}{180} = 2$ Length SF=  $\sqrt[3]{2}$   $\xrightarrow{180}$  Area SF=  $(\sqrt[3]{2})$  $180 \times (\sqrt[3]{2})$ 286 ..... $cm^{2}$  [3]

4 
$$y = 1 - \frac{2}{x^2}$$
,

(a) Complete the table.

 $x \neq 0$ 

x	-5	-4	-3	-2	-1	-0.5	0.5	1	2	3	4	5	
У	0.92	0.88	0.78	0.5	-1	-7	-7	-1	0.5	0.78	0.88	0.92	•
													[3]

(b) On the grid, draw the graph of  $y = 1 - \frac{2}{x^2}$  for  $-5 \le x \le -0.5$  and  $0.5 \le x \le 5$ .









- (b) (i) Describe fully the single transformation that maps triangle A onto triangle B. Enlargement by Scale jactor A at center (0,6) [3]
  - (ii) Find the matrix that represents the transformation that maps triangle A onto triangle B.



(iii) Calculate the determinant of the matrix in **part (b)(ii)**.

1/1 ×

.....[1] .....

[2]



The diagram shows five straight footpaths in a park. AB = 220 m, AC = 180 m and AD = 170 m.Angle  $ACB = 90^{\circ}$  and angle  $DAC = 33^{\circ}$ .

(a) Calculate BC.



126 BC =..... m [3]

 $A^{2} = b^{2} + c^{2} - 2bc\cos A$   $A^{2} = b^{2} + c^{2} - 2bc\cos A$   $A^{2} = 180^{2} + 170^{2} - 2(180)(170)(cos 33)$ (b) Calculate CD. A2 = 9973.361242 A= 99.86671739 CD =...m [4]







Calculate the area of the quadrilateral *ABCD*. **(e)** 

Calculate the shortest distance from *D* to *AC*.

O

0

(d) The bearing of D from A is  $047^{\circ}$ .

H

0

(c)

×  $|80 \times 220 \times \sin(35.1) = |1385.10399$ ×  $|80 \times 170 \times \sin(33) = 8332.977236$  $= 19718.08123 m^2$ 



[Turn over

- A train stops at station A and then at station B. If the train is late at station A, the probability that it is late at station B is 0.9. If the train is not late at station A, the probability that it is late at station B is 0.2. The probability that the train is late at station A is 0.3.
  - (a) Complete the tree diagram.



ХD· Sums 0.3 × 0.1 1 ) = 0.7 × 0.2

(ii) This train makes 250 journeys.

Find the number of journeys that the train is expected to be late at one or both of the stations.

.44×22 .....[1]

. [3]

(c) The train continues to station *C*. The probability that it is late at all 3 stations is 0.27.

Describe briefly what this probability shows.

two stations, then certain at just .....[1]

0580/41/O/N/16

- 8 Apples  $\cot x$  cents each and oranges  $\cot (x + 2)$  cents each. Dylan spends \$3.23 on apples and \$3.23 on oranges. The **total** of the number of apples and the number of oranges Dylan buys is 36.
  - (a) Write an equation in x and show that it simplifies to  $18x^2 287x 323 = 0$ .

 $+\frac{523}{51+2}=36$  $646x + 646 = 36x^2 + 72x$ 36x² -574 -646 = 0 323(x+2) + 323(x) = 3618x2 - 287x - 323  $\frac{646x+646}{3(x+2)}$ =36 7(x+2) 646x+646=36x(x+2). [4] (b) (i) Find the two prime factors of 323. 323: 1,323 17,19 17 19 .....[1] (ii) Complete the statement.  $18x^2 - 287x - 323 = (18x + 19)(x - 17)$ [2] Solve the equation  $18x^2 - 287x - 323 = 0$ . (iii) 18x + 19 = 0 $\mathcal{X} = -\frac{14}{18}$ 18x = -19(c) Find the largest number of apples Dylan can buy for \$2.  $2 = \frac{200}{10} = 11.76476588$ 

f(x) = 2x + 1  
g(x) = 3x - 2  
h(x) = 3<sup>x</sup>  
(a) Find hf(2) - fh(1).  

$$f(2) = 4 + 1 = 5$$
  
 $h(1) = 3^{1} = 3$   
 $h(5) - f(3) = 3^{5} - 7$   
236  
[3]

(b) Find gf(x), giving your answer in its simplest form.

f(x) = 3(2x+1)-z= 6x+3-z



(c) Solve the inequality 
$$f(x) > g(x)$$
.

9

$$2x + 1 > 3x - 2$$
  
$$3 > x$$



(d) Solve the equation  $h(x) = \frac{1}{9}$ .

(e) Find  $g^{-1}(x)$ .

$$y = 3\alpha - 2$$
  

$$\alpha = 3y - 2$$
  

$$\frac{\chi + 2}{3} = y$$

(f) Find  $\frac{5}{f(x)} + g(x)$ . Give your answer as a single fraction. +322-2 2x+1 $\frac{5 + (3x - 2)(2x + 1)}{2x + 1}$  $\frac{5 + (3x - 2)(2x + 1)}{6x^2 - x - 2 + 5}$ 

(3x-2)(2x+1).  $6x^2+3x-4x-2$   $6x^2-x-2$ 

-x+3..[3]

(g) Solve the equation  $f^{-1}(x) = 4$ .

(4)=2(4)+1



17

10 (a)



x = .

.....[3]

(c)



The perimeter of the isosceles triangle is  $2q + q\sqrt{3}$  centimetres.

Find the value of y.  

$$\begin{aligned}
& \text{Cos } y = \frac{q^2 + q^2 - (q\sqrt{3})^2}{2q^2} \\
& \text{Cos } y = 2q^2 - 3q^2 \\
& \overline{2q^2} \\
& \text{Cos } y = -q^2 \\
& \overline{2q^2} \\
& \overline{2q^2} \\
& y = \dots \\
& y = \dots \\
& y = 0 \\
& y = 120
\end{aligned}$$

.....[4]

## **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.